

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	(data with rule) and (data with diagnos\$3) and (credit with analy\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:50
L2	13	1 and (optimal with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:37
L3	12	2 and attribut\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:48
L4	5	(optimal with data with diagnostic) and (data near3 rule)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:45
L5	15	(optimal with data with diagnos\$4) and (data near3 rule)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:47
L6	1	(optimal with data with diagnos\$4) and (data near3 rule) and (credit with analy\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:47
L7	51	(optimal with data) and diagnos\$4 and (data near3 rule) and (credit with analy\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:52

## EAST Search History

L8	39	7 and (data with attribut\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:48
L9	7	8 and (data with relation )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:48
L10	374	"702"/\$.ccls. and (data with process\$4) and (data with rule) and (data with diagnos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:52
L11	138	"702"/\$.ccls. and (data with process\$4) and (data with rule) and (fault with diagnos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 01:01
L12	0	11 and (credit with analy\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:53
L13	3	11 and (optimal with data with set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:55
L14	0	11 and (comput\$3 with optimal with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:55

## EAST Search History

L15	3	11 and ((comput\$3 calculat\$3 measur\$6) with optimal with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:56
L16	7	("702"/\$.ccls. "700"/\$.ccls. "705"/\$. ccls. "706"/\$.ccls. "709"/\$.ccls. "714"/\$.ccls.) and (optimal with data) and (data with diagnos\$4) and (data near3 rule) and (fault with diagnos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 01:04
S2	0	(character\$3 with entity with diagnos\$3) and (relation near4 data) and (attribut\$3 with entity) and interface and (user with input\$4) and (comput\$3 with optimal with data) and (data with rule)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 11:35
S3	1	(character\$3 with entity with diagnos\$3) and (relation with data) and (attribut\$3 with entity) and interface and (user with input\$4) and (comput\$3 with optimal with data) and (data with rule)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:38
S4	16	(rule with data with diagnos\$3) and (relation with data) and interface and (user with input\$4) and (comput\$3 with optimal with data) and (data with rule)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 13:15
S5	1	S4 and (optimal with data with rule with (associat\$3 combin\$3) with data with diagnos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 11:46
S6	1	(rule with data with diagnos\$3) and (optimal with data with rule with (associat\$3 combin\$3) with data with diagnos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 11:46

## EAST Search History

S7	1	(optimal with data with rule with (associat\$3 combin\$3) with data with diagnos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:20
S8	1	(rule with data with diagnos\$3) and (relation with data) and (comput\$3 with optimal with data with rule)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 13:15
S9	3	(rule with data with diagnos\$3) and (comput\$3 with optimal with data with rule)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 05:56
S10	3	(rule with data with diagnos\$3) and (comput\$3 with optimal with data with rule) and diagnos\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:13
S11	18	(rule with data with diagnos\$3) and (comput\$3 with optimal with data ) and diagnos\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:17
S12	16	(rule with data with diagnos\$3) and (comput\$3 with optimal with data ) and diagnos\$3 and (data with relation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:17
S13	2	(optimal with data with rule with (associat\$3 combin\$3)) and (data with diagnos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:23

## EAST Search History

S14	2	(optimal with data with rule with (associat\$3 combin\$3)) and (data with diagnos\$3) and (credit with analy\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:25
S15	1	(find\$3 with optimal with data) and (data with rule) and (data with diagnos\$3) and (credit with analy\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:37
S16	13	(optimal with data) and (data with rule) and (data with diagnos\$3) and (credit with analy\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:34
S17	3	(find\$3 with optimal with data) and (data with rule) and (data with diagnos\$3) and (relation near3 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:29
S18	306	(optimal with data) and (data with rule) and (data with diagnos\$3) and (data with (relation combin\$4 associat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:35
S19	257	(optimal with data) and (data with rule) and (data with diagnos\$3) and (data near3 (relation combin\$4 associat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:36
S20	21	(optimal with data) and (data with rule) and (data with diagnos\$3) and (data near3 (relation combin\$4 associat\$3)) and ((diagnosable diagnos\$4) with attribut\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 07:39

## EAST Search History

S21	4	(optimal with data) and (data near3 rule) and (data with diagnos\$3) and (data near3 (relation combin\$4 associat\$3)) and ((diagnosable diagnos\$4) with attribut\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 00:44
-----	---	--	--	----	----	------------------